

Message

From: Young, Dianna [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1F40B43CB3DA4607B17140C42CA12A12-YOUNG, DIANNA]
Sent: 7/16/2018 12:58:04 PM
To: Leonard, Paul [leonard.paul@epa.gov]; Laija, Emerald [Laija.Emerald@epa.gov]; Gervais, Gregory [Gervais.Gregory@epa.gov]
Subject: RE: Hunters Point Update

Oops, sorry I sent to PL/GG the same thing from the RPM.

From: Leonard, Paul
Sent: Sunday, July 15, 2018 1:51 PM
To: Young, Dianna <Young.Dianna@epa.gov>; Laija, Emerald <Laija.Emerald@epa.gov>; Gervais, Gregory <Gervais.Gregory@epa.gov>
Subject: Fwd: Hunters Point Update

FYSA. Tuesday meeting with R9 and Navy to check on Navy commitment to expand to 100% if they find something's

Paul Leonard
Federal Facilities Restoration and Reuse Office

USEPA

Washington DC

202 564-0539

Sent from my iPhone

Begin forwarded message:

From: "Manzanilla, Enrique" <Manzanilla.Enrique@epa.gov>
Date: July 13, 2018 at 10:50:37 PM EDT
To: "Leonard, Paul" <leonard.paul@epa.gov>, "Leff, Karin" <Leff.Karin@epa.gov>
Cc: "Gervais, Gregory" <Gervais.Gregory@epa.gov>, "Dalzell, Sally" <Dalzell.Sally@epa.gov>
Subject: Fwd: Hunters Point Update

FYSA

Sent from my iPhone

Begin forwarded message:

From: "Manzanilla, Enrique" <Manzanilla.Enrique@epa.gov>
Date: July 13, 2018 at 7:34:53 PM PDT
To: "Stoker, Michael B." <stoker.michael@epa.gov>, "Jordan, Deborah" <Jordan.Deborah@epa.gov>
Cc: "Herrera, Angeles" <Herrera.Angeles@epa.gov>, "Maldonado, Lewis"

<Maldonado.Lewis@epa.gov>, "Zito, Kelly" <ZITO.KELLY@EPA.GOV>, "Chesnutt, John" <Chesnutt.John@epa.gov>, "Butler, Thomas" <Butler.Thomas@epa.gov>

Subject: Hunters Point Update

Mike and Debbie,

Below are updates on the CDPH plan for scanning Parcel A, the July 11 Congressional conference call, and the Parcel G Workplan:

1. **Scanning Parcel A residential areas:** On July 16, the California Department of Public Health (CDPH) will start radiation surveys of Parcel A-1, now occupied by residents. If levels of radiation are found greater than reference background, the CDPH will evaluate the likelihood that it may be naturally occurring, and the Navy will be on stand-by to remove soil, asphalt, or concrete for sampling. EPA and DTSC have given support to CDPH during this fast rollout. More details are on the attached table.
2. **July 11 Congressional Call:** EPA organized a meeting about Parcel A scanning with staff in the offices of Senators Feinstein and Harris and Congresswoman Pelosi. Attached is the list of principle participants.
 - Congressional staff asked about next steps after Parcel A scanning and encouraged future presentations to emphasize that more. Cong. Pelosi's District Director Dan Bernal had attended the July 5 Home Owners Association meeting and expressed appreciation for that outreach.
 - Robert Edmonson, Cong. Pelosi's Chief of Staff, recalled an earlier discussion about the Parcel G EPA/State proposal that the Navy excavate 33% of the soil trench units of greatest concern, and if any contamination was found, that would trigger excavation of 100% of survey units. He asked if the Navy's draft Parcel G workplan includes that. The Navy stated its plan is to review the data first and to take a phased approach.

3. Parcel G Workplan

In 2009, the Parcel G cleanup plan (Record of Decision, or "ROD") required 100% excavation of storm and sewer lines to ensure that no levels remained above the Remedial Goals. However, Tetra Tech EC Inc's potential falsification meant all data they collected is unreliable. In March 2018, EPA, the CA Department of Toxic Substances Control (DTSC), and the CA Department of Public Health (CDPH) gave the Navy its written recommendations for retesting Parcel G. On June 15, the

Navy distributed to the public and agencies its draft Parcel G workplan for retesting. This draft did include the EPA/State recommendation to fully excavate and test 33% of soil trench survey units. However, it did not include the EPA/State recommendation that if any contamination is found above levels specified in the original 2009 ROD, then 100% excavation would be required, per the original ROD. This is an unexpected fundamental missing element. On July 13, Enrique discussed our concerns and next steps with his counterparts at DTSC and CDPH. On July 17, Angeles and her counterparts in these agencies are meeting with Navy middle management to discuss our concerns about the draft workplan.

Please see more details in the attachment. Please let me know anything else you may need.

Enrique